

| | | | | |
|-------------------------------|------|--|--|---------------------|
| Prescriber Information | | Ship Meds to: | Patient's Home | Prescriber's Office |
| Prescriber Name: | | | <input type="radio"/> MD <input type="radio"/> DO <input type="radio"/> NP <input type="radio"/> PA NPI: | |
| Office Contact: | | Practice Name / Collaborating Physician: | | |
| Address: | | City: | | |
| State: | Zip: | Phone: | Fax: | |

| | | | | | | |
|---|-----------------------|----------------|--|---|------------|---|
| Patient Information PLEASE SEND COPY OF INSURANCE CARD | | | | | | |
| Patient's Name: | Last 4 Digits of SS#: | DOB: / / | Sex: <input type="radio"/> M <input type="radio"/> F | Weight: | Height: | Diabetic: <input type="radio"/> Y <input type="radio"/> N |
| Address: | | City: | State: | Zip: | Allergies: | |
| Home Phone: | Work Or Cell: | HIPAA Contact: | Emergency #: | Interpreter Needed? <input type="radio"/> Y <input type="radio"/> N | | |

| | | | |
|------------------------------|-------------------|----------|------|
| Insurance Information | | | |
| Primary Insurance: | Policy ID: | Group #: | |
| Policyholder Name: | Policyholder DOB: | BIN: | PCN: |

| | | | | |
|---|--|---------------------|------------------------|---|
| Clinical Information PLEASE SEND COPY OF MEDICAL AND PRESCRIPTION INSURANCE CARDS, PROGRESS NOTES AND LAB REPORTS, SUPPORTING DIAGNOSIS, CO-MORBIDITIES AND LAB VALUES | | | | |
| ICD-10/Diagnosis Code: | <input type="radio"/> Osteoporosis with current pathological fracture (M80.____) <input type="radio"/> Osteoporosis without current pathological fracture (M81.____) <input type="radio"/> Age-related osteoporosis (M80.0.____) <input type="radio"/> Paget's Disease (M88) <input type="radio"/> Other: _____ | | | |
| T-Score: | Previous Therapies: | | | |
| History of Fractures: <input type="radio"/> Y <input type="radio"/> N | Fracture Code: | Site Fracture Code: | Date of Diagnosis: / / | First Dose: <input type="radio"/> Y <input type="radio"/> N |

| Prescription Information | | | |
|--|--|--|---------|
| Medication | Quantity/Dose | Sig | Refills |
| <input type="radio"/> AREDIA® <input type="radio"/> Vials | <input type="radio"/> Number of 30 mg vials: _____ <input type="radio"/> Number of 60 mg vials: _____ <input type="radio"/> Number of 90 mg vials: _____ | <input type="radio"/> Infuse _____mg IV over _____ minutes once every _____ | |
| <input type="radio"/> BONIVA® <input type="radio"/> PFS (IV use) | <input type="radio"/> 1 carton (1x3mg/3ml) | <input type="radio"/> Infuse 3 mg IV every 3 months over a period of 15 to 30 seconds | |
| <input type="radio"/> EVENITY™ <input type="radio"/> PFS | <input type="radio"/> 1 carton (2x105mg/117ml) | <input type="radio"/> Inject two syringes (210mg) SQ once monthly | |
| <input type="radio"/> FORTEO® <input type="radio"/> Pen <small>*Needles Required</small> | <input type="radio"/> 1 carton (1x600mcg/2.4ml) <input type="radio"/> 3 cartons (1x600mcg/2.4ml) <input type="radio"/> Pen needles - _____ Box(es) of 30 | <input type="radio"/> Inject 20 mcg SQ every day <input type="radio"/> Use one needle daily with injection | |
| <input type="radio"/> PROLIA® <input type="radio"/> PFS | <input type="radio"/> 1 carton (1x60mg/ml) | <input type="radio"/> Inject 60mg SQ every six months | |
| <input type="radio"/> RECLAST® <input type="radio"/> Vial | <input type="radio"/> 1 carton (1x5mg/100ml) | <input type="radio"/> Infuse 5 mg IV over at least 15 minutes once every _____ year(s) | |
| <input type="radio"/> TERIPARATIDE <input type="radio"/> Pen <small>*Needles Required</small> | <input type="radio"/> 1 carton (1x620mcg/2.48mL) <input type="radio"/> 3 cartons (1x620mcg/2.48mL) <input type="radio"/> Pen needles - _____ box(es) of 30 | <input type="radio"/> Inject 20mcg SQ every day <input type="radio"/> Use one needle daily with injection | |
| <input type="radio"/> TYMLOS™ <input type="radio"/> Pen <small>*Needles Required</small> | <input type="radio"/> 1 carton (1x3120mcg/1.56ml) <input type="radio"/> 3 cartons (1x3120mcg/1.56ml) <input type="radio"/> Pen needles - _____ box(es) of 30 | <input type="radio"/> Inject 80 mcg SQ once daily <input type="radio"/> Use one needle daily with injection | |
| <input type="radio"/> ZOMETA® <input type="radio"/> Vial | <input type="radio"/> 1 carton (1x4mg/5ml) | <input type="radio"/> Infuse 4 mg IV over no less than 15 minutes once every _____ | |
| <input type="radio"/> Other: | | | |

| | | |
|---|---|---|
| Injection Training | | |
| <input type="radio"/> Patient received injection training | <input type="radio"/> Prescriber's office to provide injection training | <input type="radio"/> Meijer to coordinate injection training |

By signing this form and utilizing our services, you are authorizing Meijer and its employees to serve as your prior authorization designated agent in dealing with medical and prescription insurance companies.

| | | | |
|-----------------------|------|-----------------------|------|
| Prescriber Signature: | Date | Prescriber Signature: | Date |
|-----------------------|------|-----------------------|------|

Substitution Permitted

Dispense as Written