

Prescriber Information							
Prescriber Name:			MD	DO	NP	PA	NPI:
Office Contact:			Practice Name / Collaborating MD:				
Address:			City:		State:	Zip:	
Phone:		Fax:					

Patient Information • PLEASE SEND COPY OF INSURANCE CARD							
Patients Name:		Last 4 Digits of SS#:	DOB: / /	Sex: M F	Weight:	Height:	Diabetic? Y N
Office Contact:			Practice Name / Collaborating MD:				
Address:			City:		State:	Zip:	
Home Phone:		Work/Cell:	HIPPA Contact:		Emergency #:		
Interpreter Needed? Y N	Allergies: Y N If Yes, list allergies:						

Insurance Information				
Primary Insurance:	Policy ID:	Group #:	BIN:	PCN:
Policyholder Name:		Policyholder DOB: / /		

Clinical Information • PLEASE SEND COPY OF MEDICAL AND PRESCRIPTION INSURANCE CARDS, PROGRESS NOTES AND LAB REPORTS, SUPPORTING DIAGNOSIS, CO-MORBIDITIES AND LAB VALUES					
ICD-10/Diagnosis Code:	Osteoporosis with current pathological fracture (M80.____)		Osteoporosis without current pathological fracture (M81.____)		Age-related osteoporosis (M80.0____)
Paget's Disease (M88)		Other:			
T-Score:	Previous Therapies:				
History of Fractures: Y N	Fracture Code:	Site Fracture Code:	Date of Diagnosis: / /	First Dose: Y N	

Prescription Information			
Medication	Quantity/Dose	Sig	Refills
AREDIA® Vials	Number of 30 mg vials: ____ Number of 60 mg vials: ____ Number of 90 mg vials: ____	Infuse ____mg IV over ____ minutes once every ____	
BONIVA® PFS (IV use)	1 carton (1x3mg/3ml)	Infuse 3 mg IV every 3 months over a period of 15 to 30 seconds	
EVENITY™ PFS	1 carton (2x105mg/1.17ml)	Inject two syringes (210mg) SQ once monthly	
FORTEO® PFS *Needles required	1 carton (1x600mcg/2.4ml) 3 cartons (1x600mcg/2.4ml) Pen needles - ____ box(es) of 30	Inject 20 mcg SQ every day Use one needle daily with injection	
PROLIA® PFS	1 carton (1x60mg/ml)	Inject 60mg SQ every six months	
RECLAST® Vial	1 carton (1x5mg/100ml)	Infuse 5 mg IV over at least 15 minutes once every ____ year(s)	
TERIPARATIDE Pen *Needles required	1 carton (1x620mcg/2.48mL) 3 cartons (1x620mcg/2.48mL) Pen needles - ____ box(es) of 30	Inject 20mcg SQ every day Use one needle daily with injection	
ZOMETA® Vial	1 carton (1x4mg/5ml)	Infuse 4 mg IV over no less than 15 minutes once every ____	
Other			

Injection Training		
Patient received injection training	Prescriber's office to provide injection training	Meijer to coordinate injection training

By signing this form and utilizing our services, you are authorizing Meijer and its employees to serve as your prior authorization designated agent in dealing with medical and prescription insurance companies.

Prescriber Signature	Date	Prescriber Signature	Date
----------------------	------	----------------------	------

Substitution Permitted

Dispense as Written

If brand is required, please write "DAW" in the box to the right.