

Prescriber Information					
Prescriber Name:			<input type="radio"/> MD <input type="radio"/> DO <input type="radio"/> NP <input type="radio"/> PA		NPI:
Office Contact:			Practice Name / Collaborating MD:		
Address:		City:		State:	Zip:
Phone:		Fax:			

Patient Information • PLEASE SEND COPY OF INSURANCE CARD							
Patients Name:		Last 4 Digits of SS#:	DOB: / /	Sex: <input type="radio"/> M <input type="radio"/> F	Weight:	Height:	Diabetic? <input type="radio"/> Y <input type="radio"/> N
Office Contact:			Practice Name / Collaborating MD:				
Address:		City:		State:	Zip:		
Home Phone:		Work/Cell:	HIPPA Contact:		Emergency #:		
Interpreter Needed? <input type="radio"/> Y <input type="radio"/> N		Allergies: <input type="radio"/> Y <input type="radio"/> N If Yes, list allergies:					

Insurance Information				
Primary Insurance:	Policy ID:	Group #:	BIN:	PCN:
Policyholder Name:		Policyholder DOB: / /		

Clinical Information • PLEASE SEND COPY OF MEDICAL AND PRESCRIPTION INSURANCE CARDS, PROGRESS NOTES AND LAB REPORTS, SUPPORTING DIAGNOSIS, CO-MORBIDITIES AND LAB VALUES				
Diagnosis	<input type="radio"/> M32.9 Active Systemic Lupus Erythematosus <input type="radio"/> M45.9 Ankylosing Spondylitis <input type="radio"/> M08.0 Juvenile Idiopathic Arthritis <input type="radio"/> L40.59 Psoriatic Arthritis <input type="radio"/> L40.54 Psoriatic Juvenile Arthritis			
<input type="radio"/> M06.9 Rheumatoid Arthritis <input type="radio"/> M46.8 Non-Radiographic Axial Spondyloarthritis <input type="radio"/> Other:				
Date of Diagnosis: / /	Date of Negative TB Test: / /	Any prior treatment? <input type="radio"/> Y <input type="radio"/> N If Yes, provide information below		
Prior Therapy:		Reason for Discontinuation of Therapy:	Approximate Start Date:	Approximate End Date:
Comorbidities:			Concomitant Medications:	
Allergies: <input type="radio"/> NKDA <input type="radio"/> Other:		Treatment Arrangements	Ship Meds: <input type="radio"/> Home <input type="radio"/> Prescribers Office	Start Date: / /

Prescription Information			
Medication	Quantity/Dose	Sig	Refills
<input type="radio"/> ACTEMRA® <input type="radio"/> PFS <input type="radio"/> ACTPen®	<input type="radio"/> 2 cartons (2x162mg/0.9ml) <input type="radio"/> 4 cartons (4x162mg/0.9ml)	<input type="radio"/> Inject 162 mg SQ every other week (<100kg) <input type="radio"/> Inject 162 mg SQ every week (>100kg)	
<input type="radio"/> BENLYSTA® <input type="radio"/> PFS <input type="radio"/> Pen	<input type="radio"/> 1 carton (4x200mg/ml autoinjector) <input type="radio"/> 1 carton (4x200mg/ml PFS)	<input type="radio"/> Maintenance Dose: Administer 200mg SQ once every week	
<input type="radio"/> CIMZIA® <input type="radio"/> PFS <input type="radio"/> Vial	<input type="radio"/> PFS Only: Starter Kit (6x200mg/ml)	<input type="radio"/> Starter Dose: Inject 400 mg SQ at weeks 0, 2, and 4	No Refills
	<input type="radio"/> 1 carton (2x200 mg/ml)	<input type="radio"/> Maintenance Dose: Inject 400 mg SQ every 4 weeks <input type="radio"/> Maintenance Dose: Inject 200 mg SQ every 2 weeks	
<input type="radio"/> COSENTYX® <input type="radio"/> PFS <input type="radio"/> Sensoready® Pen	<input type="radio"/> 4 cartons (8x150mg/ml) <input type="radio"/> 4 cartons (4x150mg/ml)	<input type="radio"/> Starter Dose: Inject 300 mg SQ at weeks 0, 1, 2, 3 <input type="radio"/> Starter Dose: Inject 150 mg SQ at weeks 0, 1, 2, 3	No Refills
	<input type="radio"/> 1 carton (2x150mg/ml) <input type="radio"/> 1 carton (1x150mg/ml)	<input type="radio"/> Maintenance Dose: Inject 300 mg SQ every 4 weeks beginning on Day 29 <input type="radio"/> Maintenance Dose: Inject 150 mg SQ every 4 weeks beginning on Day 29	
<input type="radio"/> ENBREL® <input type="radio"/> Mini™ <input type="radio"/> PFS <input type="radio"/> SureClick® <input type="radio"/> Vial	<input type="radio"/> 1 carton (4 x 50mg/ml) <input type="radio"/> Other:	<input type="radio"/> Inject 50 mg SQ every week <input type="radio"/> Other Regimen:	
<input type="radio"/> HUMIRA® <input type="radio"/> PFS <input type="radio"/> Pen	Citrate Free <input type="radio"/> 1 carton (2x40mg/0.4ml) <input type="radio"/> 2 cartons (4x40mg/0.4ml) <input type="radio"/> 1 carton (2x80mg/0.8ml) PEN ONLY	<input type="radio"/> Inject 40mg SQ every other week <input type="radio"/> Inject 40mg SQ every week* <input type="radio"/> Inject 80mg SQ every other week* <i>*For patients with moderate-to-severe disease not taking concomitant MTX</i>	
<input type="radio"/> HUMIRA® (Pediatric)	<input type="radio"/> 1 carton (2x10mg/0.1mL PFS) <input type="radio"/> 1 carton (2x20mg/0.2mL PFS) <input type="radio"/> 1 carton (40mg/0.4mL PFS) <input type="radio"/> 1 carton (40mg/0.4mL PEN)	<input type="radio"/> Weight 10-14kg: Inject 10mg SQ every other week <input type="radio"/> Weight 15-29kg: Inject 20mg SQ every other week <input type="radio"/> Weight ≥30kg: Inject 40mg SQ every other week	
<input type="radio"/> HUMIRA® (Uveitis) <input type="radio"/> PFS <input type="radio"/> Pen	<input type="radio"/> Pens Only: Citrate Free Starter Kit (1x80mg/0.8ml, 2x40mg/0.4ml)	<input type="radio"/> Inject 80mg SQ on Day 1, then 40mg on day 8, then 40mg every 2 weeks	No Refills
	<input type="radio"/> Citrate Free 1 carton (2x40mg/0.4ml)	<input type="radio"/> Inject 40mg SQ every 14 days	

Injection Training		
<input type="radio"/> Patient received injection training	<input type="radio"/> Prescriber's office to provide injection training	<input type="radio"/> Meijer to coordinate injection training

By signing this form and utilizing our services, you are authorizing Meijer and its employees to serve as your prior authorization designated agent in dealing with medical and prescription insurance companies.

Prescriber Signature	Date	Prescriber Signature	Date
----------------------	------	----------------------	------

Substitution Permitted

Dispense as Written