

**Prescriber Information**

Prescriber Name: \_\_\_\_\_  MD  DO  NP  PA NPI: \_\_\_\_\_

Office Contact: \_\_\_\_\_ Practice Name / Collaborating MD: \_\_\_\_\_

Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

**Patient Information • PLEASE SEND COPY OF INSURANCE CARD**

Patients Name: \_\_\_\_\_ Last 4 Digits of SS#: \_\_\_\_\_ DOB: / / Sex:  M  F Weight: \_\_\_\_\_ Height: \_\_\_\_\_ Diabetic?  Y  N

Office Contact: \_\_\_\_\_ Practice Name / Collaborating MD: \_\_\_\_\_

Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Home Phone: \_\_\_\_\_ Work/Cell: \_\_\_\_\_ HIPPA Contact: \_\_\_\_\_ Emergency #: \_\_\_\_\_

Interpreter Needed?  Y  N Allergies:  Y  N If Yes, list allergies: \_\_\_\_\_

**Insurance Information**

Primary Insurance: \_\_\_\_\_ Policy ID: \_\_\_\_\_ Group #: \_\_\_\_\_ BIN: \_\_\_\_\_ PCN: \_\_\_\_\_

Policyholder Name: \_\_\_\_\_ Policyholder DOB: / /

**Clinical Information • PLEASE SEND COPY OF MEDICAL AND PRESCRIPTION INSURANCE CARDS, PROGRESS NOTES AND LAB REPORTS, SUPPORTING DIAGNOSIS, CO-MORBIDITIES AND LAB VALUES**

**Diagnosis**  M32.9 Active Systemic Lupus Erythematosus  M45.9 Ankylosing Spondylitis  M08.0 Juvenile Idiopathic Arthritis  L40.59 Psoriatic Arthritis  L40.54 Psoriatic Juvenile Arthritis

M06.9 Rheumatoid Arthritis  M46.8 Non-Radiographic Axial Spondyloarthritis  Other: \_\_\_\_\_

Date of Diagnosis: / / Date of Negative TB Test: / / Any prior treatment?  Y  N If Yes, provide information below

Prior Therapy: \_\_\_\_\_ Reason for Discontinuation of Therapy: \_\_\_\_\_ Approximate Start Date: \_\_\_\_\_ Approximate End Date: \_\_\_\_\_

Comorbidities: \_\_\_\_\_ Concomitant Medications: \_\_\_\_\_

Allergies:  NKDA  Other: \_\_\_\_\_ **Treatment Arrangements** Ship Meds:  Home  Prescribers Office Start Date: / /

**Prescription Information**

Medication	Quantity/Dose	Sig	Refills
<input type="radio"/> <b>ACTEMRA®</b> <input type="radio"/> PFS <input type="radio"/> ACTPen®	<input type="radio"/> 2 cartons (2x162mg/0.9ml) <input type="radio"/> 4 cartons (4x162mg/0.9ml)	<input type="radio"/> Inject 162 mg SQ every other week (<100kg) <input type="radio"/> Inject 162 mg SQ every week (>100kg)	
<input type="radio"/> <b>BENLYSTA®</b> <input type="radio"/> PFS <input type="radio"/> Pen	<input type="radio"/> 1 carton (4x200mg/ml autoinjector) <input type="radio"/> 1 carton (4x200mg/ml PFS)	<input type="radio"/> <b>Maintenance Dose:</b> Administer 200mg SQ once every week	
<input type="radio"/> <b>CIMZIA®</b> <input type="radio"/> PFS <input type="radio"/> Vial	<input type="radio"/> <b>PFS Only:</b> Starter Kit (6x200mg/ml)	<input type="radio"/> <b>Starter Dose:</b> Inject 400 mg SQ at weeks 0, 2, and 4	<b>No Refills</b>
	<input type="radio"/> 1 carton (2x200 mg/ml)	<input type="radio"/> <b>Maintenance Dose:</b> Inject 400 mg SQ every 4 weeks <input type="radio"/> <b>Maintenance Dose:</b> Inject 200 mg SQ every 2 weeks	
<input type="radio"/> <b>COSENTYX®</b> <input type="radio"/> PFS <input type="radio"/> Sensoready® Pen	<input type="radio"/> 4 cartons (8x150mg/ml) <input type="radio"/> 4 cartons (4x150mg/ml)	<input type="radio"/> <b>Starter Dose:</b> Inject 300 mg SQ at weeks 0, 1, 2, 3 <input type="radio"/> <b>Starter Dose:</b> Inject 150 mg SQ at weeks 0, 1, 2, 3	<b>No Refills</b>
	<input type="radio"/> 1 carton (2x150mg/ml) <input type="radio"/> 1 carton (1x150mg/ml)	<input type="radio"/> <b>Maintenance Dose:</b> Inject 300 mg SQ every 4 weeks beginning on Day 29 <input type="radio"/> <b>Maintenance Dose:</b> Inject 150 mg SQ every 4 weeks beginning on Day 29	
<input type="radio"/> <b>ENBREL®</b> <input type="radio"/> Mini™ <input type="radio"/> PFS <input type="radio"/> SureClick® <input type="radio"/> Vial	<input type="radio"/> 1 carton (4 x 50mg/ml) <input type="radio"/> Other:	<input type="radio"/> Inject 50 mg SQ every week <input type="radio"/> Other Regimen:	
<input type="radio"/> <b>HUMIRA®</b> <input type="radio"/> PFS <input type="radio"/> Pen	<b>Citrate Free</b> <input type="radio"/> 1 carton (2x40mg/0.4ml) <input type="radio"/> 2 cartons (4x40mg/0.4ml) <input type="radio"/> 1 carton (2x80mg/0.8ml) PEN ONLY	<input type="radio"/> Inject 40mg SQ every other week <input type="radio"/> Inject 40mg SQ every week* <input type="radio"/> Inject 80mg SQ every other week* <i>*For patients with moderate-to-severe disease not taking concomitant MTX</i>	
<input type="radio"/> <b>HUMIRA® (Pediatric)</b>	<input type="radio"/> 1 carton (2x10mg/0.1mL PFS) <input type="radio"/> 1 carton (2x20mg/0.2mL PFS) <input type="radio"/> 1 carton (40mg/0.4mL PFS) <input type="radio"/> 1 carton (40mg/0.4mL PEN)	<input type="radio"/> <b>Weight 10-14kg:</b> Inject 10mg SQ every other week <input type="radio"/> <b>Weight 15-29kg:</b> Inject 20mg SQ every other week <input type="radio"/> <b>Weight ≥30kg:</b> Inject 40mg SQ every other week	
<input type="radio"/> <b>HUMIRA® (Uveitis)</b> <input type="radio"/> PFS <input type="radio"/> Pen	<input type="radio"/> <b>Pens Only:</b> Citrate Free Starter Kit (1x80mg/0.8ml, 2x40mg/0.4ml)	<input type="radio"/> Inject 80mg SQ on Day 1, then 40mg on day 8, then 40mg every 2 weeks	<b>No Refills</b>
	<input type="radio"/> Citrate Free 1 carton (2x40mg/0.4ml)	<input type="radio"/> Inject 40mg SQ every 14 days	

**Injection Training**

Patient received injection training  Prescriber's office to provide injection training  Meijer to coordinate injection training

By signing this form and utilizing our services, you are authorizing Meijer and its employees to serve as your prior authorization designated agent in dealing with medical and prescription insurance companies.

Prescriber Signature \_\_\_\_\_ Date \_\_\_\_\_ Prescriber Signature \_\_\_\_\_ Date \_\_\_\_\_

Substitution Permitted

Dispense as Written

If brand is required, please write "DAW" in the box to the right.